

Cyperus

SLIM FLOOR FAN COIL

SLIM FLOOR FAN COIL

SLIM FLOOR FAN COIL

BEING SPECIAL,
IS A **CHOICE**.

Cyperus

SLIM FLOOR FAN COIL

Engineered for Superior Performance

With an ultra-slim profile of only 115 mm, the Cyperus Slim Floor Fan Coil is engineered to deliver exceptional heating and cooling performance while maximizing usable living space. Its refined aesthetics, whisper-quiet operation, and advanced engineering make it the ideal solution for premium residential and commercial interiors.



Ultra-Slim Design

Only 115 mm Depth



Whisper-Quiet Operation

Advanced low-noise airflow technology for superior acoustic comfort.



High Energy Efficiency

Optimized performance with reduced energy consumption.




Elegant Architectural Integration

Designed to blend seamlessly into contemporary interior spaces.



Premium Engineering

Built with high-quality components for long-term reliability and durability.



115 mm
Ultra-Slim Profile



Easy
Installation



Energy
Efficient



High
Performance



Whisper-Quiet
Operation



Cyperus

SLIM FLOOR FAN COIL

OUTSTANDING FEATURES

Advanced engineering for superior comfort, efficiency and design flexibility.

Designed to Stand Apart.



Ultra-Slim Design
Only 115 mm Depth



Integrated Digital Thermostat



Wireless Remote Control



Low-Noise Aluminum Tangential Blower



Floor-Mounted or Wall-Mounted Installation



Direct Replacement for Conventional Radiators



Cooling & Heating Operation



High-Efficiency DC Motor



Super Silent Mode



Super HI Performance Mode



Custom Color Options



Adjustable Temperature Differential (1°C / 2°C)



Easy Maintenance Access



Washable Air Filter



Compatible with Motorized Valve Installation

Cyperus

SLIM FLOOR FAN COIL

Every centimeter adds value to your home.

Cyperus

Only 11.5 cm Depth



COMPARISON WITH TOP BRANDS ON THE MARKET

Only **11.5 cm** Depth

BRAND A



BRAND B



BRAND C



BRAND D



Ultra-Slim Design
Only 11.5 cm Depth



Elegant Design
Perfect for Modern Interiors



Super Silent Operation
Enhanced Comfort




High Efficiency
Lower Energy Consumption

Cyperus

SLIM FLOOR FAN COIL

DIMENSIONS & VIEWS

Engineered with a compact and elegant structure to fit seamlessly into modern interiors while delivering high performance and energy efficiency.



COLOR RANGE



Cyperus

SLIM FLOOR FAN COIL

COLOR RANGE

Elegance in Every Shade.



White ●



Cream ●



Coffee Brown ●



Green ●



Color Variety
Choose Your
Perfect Match



Adjustable
Temperature
Differential
(1°C or 2°C)



Washable
Air Filter



Easy Installation
& Maintenance



Compatible
with Motorized
Valve Installation

Being special, is a choice.

EXPERIENCE THE DIFFERENCE.

TECHNICAL SPECIFICATIONS

600	400	300	200	UNIT	MODEL
618	412	309	205	CFM	Air Flow
34530	23900	15410	9760	BTU/H	Heating rate
18900	10420	8050	5290	BTU/H	Cooling rate
2*12	2*12	2*12	2*12	Row*number	coil
12	12	12	12	Fin in inches	fin
9/3	8/2	5	2/9	GPM	Water Flow
44	39	35	31	Db	sound
2	2	1	1	number	blower number
12	12	12	12	V	engine
5	5	5	5	A	power
50	40	29	23	Kg	weight
1570*115*600	1220*115*600	945*115*600	775*115*600	L*W*H	Dimensions

Cyperus

Ceiling Fan Coil Unit

CEILING FAN COIL UNIT

Powerful performance,
elegant design,
suitable for all types of spaces.



Website
www.cyperus.ir

Special inside, a **smart choice.**

Cyperus


Ducted Fan Coil Unit

Product Dimensions

Precision design, high performance,
suitable for all types of spaces



Length (L)



Width (W)
636 mm

Height (H)
130 mm



Width (W)
130 mm

Dimension Table

Size	Width (W) (mm)	Height (H) (mm)	Length (L) (mm)
200	636	130	443
300	636	130	610
400	636	130	946
600	636	130	1228



Website
www.cyperus.ir


Special inside, a **smart choice.**

Cyperus

Ducted Fan Coil Unit

Ducted Fan Coil Unit

High efficiency, elegant design,
perfect for any space.



Cyperus Ducted Fan Coil Unit
with **130 mm** height.



Uses advanced technologies
in product manufacturing.



Equipped with a high efficiency
aluminum fan.



Made of galvanized steel sheet
with electrostatic powder coating.



Washable and removable
polypropylene filter.



High efficiency DC motor.



Copper-aluminum evaporator coil
with high energy efficiency.



Multi-connection capability
with distributed terminal box.



Smart control capability via
Cyperus app.



Remote control capability.



Bottom air intake option
and rear air outlet.



Very low noise level
thanks to the low-noise blower.



Built-in overheating protection.



Easy installation with screws
inside the unit.



Super Hi performance.



Super silent operation.



Easy access for service
and maintenance.



Website

www.cyperus.ir

Special inside, a **smart choice.**

Cyperus

فن کویل سقفی باریک



600	400	300	200	unit	model
620	412	318	210	cfm	Air volume
710	495	390	285	cfm	Super hi
6/4	4/3	3/9	1/7	kw	Cooling capacity
6/7	4/5	3/8	2	kw	Heating capacity
18	12	10/9	4/7	gpm	Water flow
2	2	1	1		Blower fan
0/4	0/4	0/3	0/3	A	Engine power
12	12	12	12	V	Motor DC
44 40 37	44 40 37	41 38 36	40 37 35	db(A))	sound Hi Medium low
3/4	3/4	3/4	3/4	in	Pipe diameter
1342*6 36*130	1012* 636*1 30	716*63 6*130	549*63 6*130	mm	Overall dimensions
1220*2	870*2	583*28	415*28	mm	Screw spacing



وب سایت

www.cyperus.ir

خاص بودن، یک انتخاب است.

Cyperus

SLIM FLOOR FAN COIL

BEING SPECIAL, **IS A CHOICE.**



WEBSITE

www.cyperus.ir



EMAIL

info@cyperus.ir



FACTORY ADDRESS

19th Kilometer of Asian Highway,
Razavi Khorasan, Mashhad, Iran.



SALES OFFICE

No. 58, Between Sanabad Blvd. 60 and 62,
Sanabad Blvd., Mashhad, Iran.
Postal Code: 89195-60609



TELEPHONE

+98 513 267 3996



MOBILE

+98 915 600 0966

The logo features a stylized orange icon resembling a plant or a building with a flat roof, positioned above the letter 'C' in the word 'Cyperus'.

Cyperus